

## THE SOCIAL IMPORTANCE AND CONTINUITY OF *FALAJ* USE IN NORTHERN OMAN

Zaher bin Khalid Al Sulaimani<sup>1</sup>, Tariq Helmi<sup>2</sup> and Harriet Nash<sup>3</sup>

### ABSTRACT

Oman has an arid climate with an annual average rainfall less than 100 mm. Agriculture production in Oman is almost fully dependent on irrigation in which more than one third of irrigation water is supplied by *aflāj*. Prior to the 1970s, *falaj* (singular of *aflāj*) systems were the backbone of agriculture in the northern parts of Oman. There are three types of *falaj* in Oman: *ghailī*, *da'ūdī* and *ʿainī*. Among these three types, only the *da'ūdī falaj* is similar to the qanat irrigation systems of Iran.

*Aflāj* are conduits dug in the ground to convey water by gravity from one place to another; there are more than 4,000 *aflāj* in the Sultanate of Oman, of which 3,017 are active. Many *aflāj* in Oman were built over 1,500 years ago and some of them may date back over 2,500 years. There was a major period of construction during the Yaʿāribā Dynasty, by Imam Sultan bin Saif Al Yarubi between 1,060 and 1,070 Hijri (1,650-1,660 AD). However, several *aflāj* were constructed only 150 years ago.

The *falaj* systems are still focal to agricultural communities in Oman as they represent 36% of the total water consumed in the agricultural sector and 38% of the total available fresh water. Because of their historical and cultural importance, five representative *falaj* systems, together with associated structures such as defensive towers, mosques sundials and buildings for water auctions, have recently been designated as a UNESCO World Heritage site.

Sustainability was the way of life of our ancestors: because *falaj* systems use gravity flow, water use never exceeded water supply. The Sultanate's traditional methods of water management provide important lessons for the future. Using water fairly in times of plenty and times of scarcity is one of these lessons. Matching water use to water availability, a fundamental characteristic of the *falaj* system, is an essential element in planning water management in Oman's climatic conditions.

---

1- Zaher bin Khalid Al Sulaimani, Director General of Water Resources Assessment, Ministry of Regional Municipalities, Environment and Water Resources, Sultanate of Oman, email Zahrslmn@omantel.net.om

2- Tariq Helmi, Hydrogeologist Expert, Ministry of Regional Municipalities, Environment and Water Resources, Sultanate of Oman, email tariqhelmi@hotmail.com

3- Harriet Nash, Department of Arabic and Middle Eastern Studies, University of Leeds, UK, email smlhn@leeds.ac.uk



It is not known when the first *aflāj* were constructed in Oman. In legend, the *da'ūdī aflāj* were created by the Prophet Suleiman bin Da'ūd (King Solomon), who is thought to have lived in the 10th century BC. He is said to have stayed in Oman for 10 days and, because the land was so dry, ordered the jinn (demons) to dig 1000 *aflāj* (of the qanat type) every day. This explains why the qanat-type *aflāj* are called “da'ūdī” (Wilkinson 1977). There is archaeological evidence that the earliest period of *falaj* construction in Oman dates back to 1000 BC. (Al Tikriti 2002), suggesting a pre-Achaemenid origin and consistent with the legend.

Traditionally, however, the origin of *aflāj* in Oman has been attributed to Persian influence during Achaemenid times (eg English 1997). It is generally accepted that the technique was used in Persia from at least the end of the 8th century BC. During the mid-6th to mid-4th centuries BC. it began to be diffused more widely. This was a period of Persian expansion, especially during the reign of Cyrus the Great, and there is abundant evidence from archaeological and historical records of contact between Persia and Arabia (MRMEWR 2006). Much of Oman came under Achaemenid rule in the mid-6th century BC., and from 226 AD it formed part of the Sassanian Empire of Persia, until the Sassanians were finally driven out of Oman with the coming of Islam in the 7th century AD. It is possible that many *aflāj* were built in Oman in Achaemenid times, and it appears that it was during the Sassanian period that irrigation by *aflāj* reached its widest extent (Wilkinson 1977, 1983).

There was a further period of *falaj* construction during the Ya<sup>°</sup>āriba Imamates in the second half of the 17th century, when the Portuguese were finally expelled from Oman, which became the first independent state in the Arab world. Falaj Al Hamra was constructed during the Ya<sup>°</sup>āriba Dynasty by Imam Sultan bin Saif Al Yarubi between 1060 and 1070 Hijri (1,650-1,660 AD) (Al Shaqsi 1996). Falaj Al Khatmeen near Nizwa was also constructed at this time. Some *aflāj* have been constructed even more recently, as in the Ibra area, where Falaj Al Yahmady and Falaj Mudhairib are only 150 years old (MRMEWR 2005).

Regardless of the uncertain date of the origin of *aflāj* in Oman, it appears that these systems have provided communities in this area with water for irrigation and domestic purposes for at least 1500-2000 years.

### 3. TYPES OF AFLĀJIN OMAN

In Oman, there are three types of *falaj*: *da'ūdī*, *ghailī* and *°ainī*, as illustrated in Figure 2. The *da'ūdī falaj* (21% of the total number of *aflāj*), is constructed as an underground tunnel conveying groundwater from the mother well to the irrigated (demand) area.

The *ghailī falaj* (46% of the total number of *aflāj*) collects water from the base flow of the wadi and transports it in an open channel to the distribution section. During prolonged dry seasons, the discharge of such a *falaj* decreases, and sometimes ceases.

The *°ainī falaj* (33% of total *aflāj*) is fed directly from springs. Many springs which rise from limestone in the mountain areas are reliable sources of good quality water.




Figure 2 Types of *Aflāj* in Oman

The areas of irrigation have owed their existence to the *falaj* system for hundreds of years. The demand area is the area that is served by distribution channels and could be irrigated if there were sufficient water. The area of irrigation is generally less than the demand area; the area of irrigation varies from a few to hundreds of hectares and changes slightly from year to year according to the *falaj* flow. The most common cultivated crops are date palms, lemon trees, fodder grasses and seasonal crops.

In 1997, a National *Aflāj* Inventory Project (Ministry of Water Resources 1997) was undertaken, and concluded that the total recorded *falaj* was 4,112 *aflāj*, of which 3,017 were operational. Of the total national cropped area *da'ūdī aflāj* irrigate 22%, *ainī*

11%, *ghailī* 8% and wells 59%. The total area cultivated by the operational *aflāj* was estimated as 26,484 hectares (Table1). Most *aflāj* are found in the wadis leading from Al Hajar Al Gharbi. These mountains are characterized by bold relief and paucity of soil and vegetation: surface runoff is therefore rapid, but is short-lived and does not extend far from the hills.


**Table 1** Cultivable area and water demand of *falaj* systems in Oman

Region	Number of Active <i>Aflāj</i>				Cultivated Area (ha)	Water Demand MCM/Year
	Da'ūdī	°Ainī	Ghailī	Total		
Muscat	12	109	52	173	1932	30.1
Al Batinah	153	382	674	1209	6707	95.2
Ad Dhahirah	86	114	273	473	4401	66
Ad Dakhliyah	183	169	149	501	10002	146.8
Ash Sharqiyah	193	215	253	661	3442	57.9
Total	627	989	1401	3017	26484	396

In the past, before the introduction of petrol or diesel pumps for wells in the 1970s, *aflāj* were the only significant means of irrigation. Unfortunately, throughout their history *aflāj* have suffered from various problems (Al Busaidi 2006). Currently, the main physical threats to *aflāj* are flash floods, often leading to damage of shafts, tunnels and channels, and the introduction of mechanical pumping in wells and boreholes leading to the lowering of groundwater levels and the drying up of some systems. The high running and maintenance costs means that the crops are relatively high cost and cannot always compete with imported goods or crops irrigated by wells.

Despite all these threats, *falaj* systems still play a major role in the water budget (404 MCM), representing 36% of the total water consumed in the agricultural sector (Figure 3) and 38% of the total available water. The *da'ūdī aflāj* play a particularly important role as, despite the fact that they represent only about 21% of the total number of *falaj* systems, they provide 53% (214 MCM) of the total *falaj* water

consumed by the agricultural sector.



**Figure 3** Water Use of *Aflāj* in the Agriculture Sector

#### 4. SUSTAINABILITY OF *AFLĀJ*

The most widely accepted definition of sustainability, as presented in 1980 in the World Conservation Strategy by the International Union for Conservation of Nature and Natural Resources, is:

"the management of human use of the biosphere so that it may yield the greatest sustainable benefit while maintaining its potential to meet the needs and aspirations of future generations".

The sustainable management of water resources can only be achieved by a genuine commitment to ecological integrity and biological diversity to ensure a healthy environment, a dynamic economy, and social equity for present and future generations. Sustainability was the way of life of our ancestors: since water in the irrigation systems was abstracted and conveyed to the fields by gravity, water use never exceeded water supply. Life was hard but sustainable. The Sultanate's traditional methods of water management have important lessons for the future. Using water fairly in times of plenty and times of scarcity is one of these lessons. Matching water use to water availability, a fundamental characteristic of the *falaj* system, will also be an essential element in water management in Oman's climatic conditions.

#### 4.1. THE SOCIAL ORGANIZATION OF THE *AFLĀJ*

##### 4.1.1. Water shares

In classical Arabic, the term *falaj* has many meanings, including to divide into shares and running water (Lane 1968), both of which relate to its present day use in Oman where it is applied to the whole system of tapping groundwater, bringing it to the surface and distributing it to fields by gravity flow.

An outstanding feature of the *falaj* system in the Sultanate of Oman is the social and economic structure that has permitted it to function successfully and largely unchanged for centuries. This is based on an accurate system of water distribution which guarantees fair shares to stakeholders. As such it plays an integral role in the socio-economic life of the country. Without it, Oman would never have been able to achieve nationhood, since only the availability of water made it possible for nomadic peoples to adopt a settled way of life, which encouraged the development of agricultural and craft skills. The system is not based on any form of written or statute law, but rather on a traditional system of time-sharing that is passed from one generation to the next. This confers a number of benefits to society as a whole by:

- Maintaining mutual cooperation among those individual who use the *falaj* water for domestic and agricultural purposes.
- Providing a relatively flexible source of family income by allowing shareholders to put their water shares up for public auction or by leasing those shares for specific periods when they are not needed.
- Providing a constant source of water for a variety of crops, especially date palms.
- Encouraging the development of traditional crafts in the towns and villages through which the *aflāj* pass and thereby creating employment.
- Strengthening a sense of community and strengthening social relationships between all those benefiting from the supply of water; which traditionally would have been almost everyone in the community.
- Establishing procedures for settling disputes relating to water shares or maintenance obligations in the form of an autonomous administration responsible for the management of each *falaj*.

The highest executive authority in each system is the *falaj* agent (*wakīl al falaj*), often appointed by the local sheikh in consultation with the shareholders in the *falaj*, or by the *falaj* community. The *wakīl* is responsible for the overall management of the *falaj*: his duties include responsibility for the funds, regulation of the sale and rental of individual shares, and the keeping of records as necessary. He is assisted by one or more *‘arīfs*, who are mainly responsible for the distribution of the water shares and will usually know the time for each person’s water. Depending on the size of the *falaj*, other officials may help with activities such as auctioning shares that are set aside to raise money for running the *falaj*.

The distribution is carried out by diverting the water flow by applying or removing sluices at the appropriate times of day or night for the agreed periods. The diversion may be carried out by the *‘arīf*, by the shareholder or by a farm labourer. Before the advent of clocks, the time for each water share was determined by various methods, including the use of sundials by day and observation of the stars at night (eg Al Ghafri 2003). Sundials are still used in a number of villages, while the use of stars continues in only a few.

The time needed to water all of the cultivated land (the irrigation cycle) and the order of irrigation is generally determined by a group of experienced shareholders, who take into account the rate of flow the water in the *falaj* and other factors, such as the tolerance of the crops to drought and the water retention characteristics of the soil. The irrigation cycle

commonly ranges from seven to fifteen days and the water is shared among the users on a time basis. One example of the division of time units is given in Table 2. The *badda* and *athar* are widely used but other divisions vary from place to place. The length of the time units may be adjusted to periods of drought and high flow: thus, during droughts the *athar* may be reduced to 15 minutes (*athar ghaez*), or the length of the irrigation cycle increased, usually doubled, so that shareholders receive half of the normal amount of water.

**Table 2** Time division for water distribution

Division	Period of time	Equivalent in <i>athars</i>	Division	Period of time	Equivalent in <i>athars</i>
<i>Badda</i>	12 hours	24 <i>athar</i>	<i>Ruba'a</i>	7.5 minutes	1/4 <i>athar</i>
<i>Kathba</i>	1 ½ hours	3 <i>athar</i>	<i>Thāmin</i>	3.75 minutes	1/8 <i>athar</i>
<i>Athar</i>	30 minutes	-	<i>Qiyās</i>	1.25 minutes	1/24 <i>athar</i>

#### 4.1.2. Water Trade

The trade of water can be effected in a number of ways. People are free to buy, sell and even mortgage their water shares. Water surplus to requirements, and water shares belonging to the *falaj*, used to raise funds for *falaj* maintenance, may be auctioned either every irrigation cycle or annually. The prices at auction were found to be influenced by the following factors in Falaj Al Hamra (Al Shaqsi 1996):

- Prices increase during dry seasons and decrease during wet season.
- Prices increase if the shares are during day time, and decrease if the shares are during night time, especially after midnight.
- Prices increase if more than one person wants same shares auctioned.

In Al Hamra, the price of one *athar*, for one irrigation cycle of seven days, may vary between 0.5 US\$ (0.19 O.R) during the wet season to 90 US\$ (35 O.R) during the dry season. The price of a permanent share is not influenced by the seasons but by the long term rate of flow of *falaj* water.

#### 4.1.3. Domestic use of *falaj* water

Traditionally, many *falaj* communities took all of their domestic water from the *falaj* system. The first point of use was the *shari'a*, where drinking water for people and animals was obtained. Though rarely used for drinking water now, these access points are usually well maintained and protected, and are often used for other domestic purposes. Bathing and washing of clothes and dishes is still carried out in many *falaj* channels, and several communities have built bath houses over the channels. These uses still provide points of social contact and a focus for community life in addition to that from agricultural activities. The date gardens are still used, as presumably they always



have been, for relaxation and escape from the heat – a popular place for picnics, with children happily occupied playing in the *falaj* channels.

## 5. THE FIVE NOMINATED AFLĀJ

As part of the Ministry of Regional Municipalities, Environment and Water Resources (MRMEWR) efforts to improve and protect *aflāj*, it has been in close cooperation with the World Heritage Committee of UNESCO to record Oman's *aflāj* in the World Heritage List. This is so that these hydrological structures can have the international support and recognition they deserve and can continue to play their role in Oman's future. The project has started with the nomination and acceptance (inscription) of five *aflāj* which satisfy the international standard for World Heritage sites. The five *aflāj*, with all of their water structures and associated traditional buildings, included in the World Heritage site, were selected as representative of the total stock of irrigation systems, demand areas and *falaj* communities in the Sultanate of Oman. Their inclusion in the World Heritage List is very welcome to the government of Oman and its citizens. This is one way of showing the rest of the world some of the wealth of Omani culture and history, and helps in Oman's efforts to increase tourism, which is of growing economic importance. In recent years, the revenue from the tourist industry has increased as a result of attractive marketing strategies and the plan to lift tourism revenue to three percent of GDP by 2020.

### 5.1. FALAJ AL KHATMEEN [FALAJ INVENTORY NO. 3071]

This *da'ūdī falaj* is fed by the Wadi Al Meaidin, which is notable for its abundant flow during periods of rain and its continuous (though not constant) flow throughout the year. The total length from mother well (source) to *sharī'a* is 2,450 m. For most of its length the channel runs underground.

The open channel runs through the small town of Birkat Al Mawz near Nizwa, and passes beneath one of the renowned Omani forts, Bait Al-Redada, which was built during the Ya'āribā Imamates period (1649–1711). At the entrance to the town the channel is split into three equal sections, one of which irrigates the holdings of the local people and the other two the agricultural land belonging to the State Treasury (*bait al māl*). The water for each of the three channels is very accurately controlled: it has been shown that if three balls of the same size and weight are thrown into the channel before it splits, each will run automatically into a separate branch channel. The water quality is high: electrical conductivity 440  $\mu\text{S}/\text{cm}$ , pH 7.61, temperature 30°C. The flow rate varies between 800 and 100 l/s, depending on the level of the water table.

The total demand area is 1,004,345 m<sup>2</sup> of which 723,124 m<sup>2</sup> is cultivated. Most of the demand area is *bait al māl*. Dates, lemons, bananas, fodder crops, seasonal crops such as onion, sweet corn, wheat and sugar cane are the most commonly cultivated crops. The demand area is an important tourist attraction known for its history, *falaj* water distribution system, traditional buildings and its proximity to Jabal Al Akhdar, another well known tourist attraction.



**Falaj Al-Khatmeen:** The *shari'a* passing beneath Bait Al-Redadah Fort (*left*).

Distribution point at the end of the *shari'a* (*right*)

## 5.2. FALAJ AL MALKI [FALAJ INVENTORY NO. 0606]

Falaj Al Malki is one of the largest *aflāj* in the Sultanate: it is a *da'ūdī falaj* and its total length from mother well to *shari'a* (including all of its 17 branches) is some 14,875 m. It is believed to have been built during the major *falaj* building in the Ya'āribā Imamates period. The *falaj* splits into two branches, supplying the former towns of Nazar and Al Yaman in the area of Izki.

Recent intensive building in the area has resulted in severe pressure on the aquifer and this effect, coupled with a scarcity of rain has led to a decrease in the water flow of the *falaj*, especially in periods of drought. However, the state of conservation of the *shari'a* and the feeder channels remains high. The water quality is high: electrical conductivity 764.5  $\mu\text{S/cm}$ , pH 7.82, temperature 30°C.

The agricultural demand area covers 1,572,730 m<sup>2</sup>, of which 1,132,472 m<sup>2</sup> is cultivated. Dates, fodder crops and seasonal crops are the most common products. The municipality now does not allow the construction of new buildings in the place of date palms that have been removed. It is hoped that this measure will help to reduce the rate of decline of the *falaj* flow.



**Falaj Al Malki:** Traditional houses (*left*). Watchtower (*right*)

### 5.3. FALAJ DARIS [FALAJ INVENTORY NO. 0500]

The largest in the Dakhiliyah Region, this *da'ūdī falaj* is thought to be the oldest active *falaj* in the Sultanate, built early in the Ya<sup>ʿ</sup>āribā Imamates period. The total length of its three channels is 7,990 m. Most of the water derives from the Wadi Al Abiyadh. The water flow reaches over 2,000 l/s, but the aquifer has been affected as a result of development pressures and so the flow rate falls during periods of drought.



**Falaj Daris:** General view of the agricultural demand area (*left*). *Sharīʿa* (*right*)

The structure of the channel is in excellent condition, and the *sharīʿa* has been the object of some simple but elegant landscaping and interpretation. The water quality is high: electrical conductivity 477  $\mu\text{S}/\text{cm}$ , pH 7.30, temperature 37°C.

The cultivated area of the town of Nizwa that it supplies is 1,715,502  $\text{m}^2$ , whilst the total demand area is 2,382,642  $\text{m}^2$ .

Efforts are being made by the government to preserve the *falaj* and demand area through implementation of strict restrictions regarding the removal of palms and construction of new houses in their place. A wastewater collection system will be constructed within the demand area in addition to the existing potable water distribution network, in order to

protect the quality of water in the *falaj*. Dates, fodder, sugar cane are the most common crops.

#### 5.4. FALAJ AL JEELA [*FALAJ* INVENTORY NO. 2750]

The *aini* form of *falaj* is represented in this nomination by Falaj Al Jeela. It is located in a very small town in a remote and barren mountainous area of Wilayat Sur. The water comes from a spring of the Wadi Shab, which is located in Tertiary limestone above the town, and is conveyed by means of tortuous open channels and a small bridge over 161 m long to a collection basin in the town itself.

The *falaj* water is very pure (electrical conductivity 378  $\mu\text{S}/\text{cm}$ , pH 7.87, temperature 29°C), with an average flow of 44 l/s. Like other *aini aflāj*, Falaj Al Jeela maintains a stable flow rate throughout the year and is barely affected by rises and falls in groundwater levels.

The water is used principally for irrigating palm and pomegranate trees and tropical fruits. All the planting is high on the edge of the wadi, and there is a protective wall against mudslides. The planted area is 10,034 m<sup>2</sup>, out of a total demand area of about 14,000 m<sup>2</sup>. The demand area is limited in size by the surrounding mountains and makes a very attractive tourist destination.



**Falaj Al-Jeela:** Water collection basin (*left*). Irrigation water distribution system (*right*)

#### 5.5. FALAJ AL MUYASSAR [*FALAJ* INVENTORY NO. 1446]

Another *da'ūdī falaj*, Falaj Al Muyassar originates from a mother well 50 m deep in a mountainous area of Wilayat Al Rustaq. Including its branches, the *falaj* is 5,783 m in length. The water is very pure (electrical conductivity 508  $\mu\text{S}/\text{cm}$ , pH 7.61, average temperature 31.9°C). The flow is relatively stable, but it can sometimes be affected by the flow in the nearby Wadi Al Fara and Wadi Al San, rising occasionally to 900 l/s and falling as low as 100 l/s.



**Falaj Al Muyassar:** Distribution channels of the *shari'a* (left). Old houses with mosque (right)

The total cultivated area is 1,133,698 m<sup>2</sup> by means of two main branches. Dates, lemons, fodder and seasonal crops are the most common cultivated crops. To prevent pollution of the *falaj* and groundwater a wastewater collection system is under construction within the demand area.

## 5.6. JUSTIFICATION FOR INSCRIPTION

### A - Criteria under which inscription in the World Heritage List was proposed

- The *falaj* system in Oman is an outstanding example of an irrigation system of considerable antiquity developed in the Near East and applied widely in the arid territory of Oman. It survives intact and is of immense socio-economic significance in contemporary life.
- Human occupation of large desert areas of Arabia did not become feasible until the *falaj* irrigation system was introduced into Oman. It made possible the development of a successful state which played a vital role in the development of trade between Europe and Asia in the medieval and later periods.
- The *falaj* irrigation system in Oman has produced an exceptionally well preserved example of a form of land-use which found widespread application over much of western and central Asia. It is threatened by lowering of the water table over much of the area as a result of increased contemporary demand for water and by climatic change. From the points of view of continuity and conservation of water supply, and long-term sustainability of agriculture in a region where water shortage through over-extraction will become an increasingly serious problem, the *aflāj* have a number of important characteristics which justify a continuing faith in the *falaj* system and which must be enhanced and not diminished by any changes to it. These characteristics are; water generally of very good (or good) and near constant

chemical quality; no possibility of endangering the water table (in contrast with wells which are easily deepened) unless by a support well; water is brought to the ground surface by gravity, and therefore without any pumping cost; village *falaj* land is long nurtured and of good quality; *falaj* villages are a model of crop water use prioritisation; *aflāj* are the best example of co-operative water management in Oman - a model of self-funding and self-help; the *falaj* committees could form the basis of future local water management organisations (in partnership with MRMEWR and its regional offices).

## **B - Statement of outstanding universal value**

The statement in the Holy Quran that ‘...we have made from water every living thing’ epitomizes the dependence of humankind on water. This is nowhere more true than in the arid lands of Arabia, where permanent human settlement did not become possible until the introduction of irrigation systems that permitted the extension of agriculture beyond the immediate surroundings of springs or wells. Relatively constant supplies of water were ensured for large areas of desert throughout the year, and this in turn led to the growth of permanent urban settlements based on an assured agricultural production and water resources for both people and livestock.

The *falaj* system of irrigation consists of tapping substantial underground water resources and conducting the water by means of deep underground channels, often over long distances, to towns and villages where it is distributed to domestic and agricultural users. The system in use in northern Oman has been developed over many centuries and has resulted in the creation of a strong social and economic structure that has survived intact to the present day.

There are four elements in the Omani *falaj* systems that justify the attribution of ‘outstanding universal value’. First, without the existence of *aflāj* there would have been no more than sparse, impoverished settlement in this region (or elsewhere in the desert regions that stretch from Xinjiang to Morocco). Secondly, the technology has been brought to a high level in Oman, and has been functioning successfully for more than two millennia. Thirdly, the organization of the water distribution system is an outstanding example of a traditional structure that is at least a thousand years old and which continues to play a vital role in the social and economic structure of Oman in the 21st century. Fourthly, it is one of the largest concentrations of irrigation systems of this kind anywhere in the world: over four thousand active or defunct systems have been identified.

The agricultural demand area is an outstanding example of sustainable agriculture. The cultivated area is reduced or expanded according to the natural flow of the *falaj*. No mechanical intervention is required. Water distribution structures are constructed efficiently by mean of open channels adapted to the topographical situation. The *aflāj* with their demand areas create a unique environment where the man lives in harmony with nature.

### C - Authenticity and integrity

The basic layout of the contemporary Omani *falāj* is wholly authentic. Records and archaeological investigations confirm that this form of water location and distribution has not changed for more than two millennia. Modern techniques are not used in their location, excavation, and design, and modern materials such as concrete are used only for reinforcing the tops of the mother wells and access shafts, at some of the *sharīʿas*, and in the distribution channels to individual agricultural plots.

The authenticity of the management of the *aflāj* is equally incontrovertible. The traditional system of ownership and management, which is centuries-old, functions efficiently alongside and complements the contemporary administrative and scientific structure for the management of water resources in the Sultanate. It is based on many generations of Omani citizens who have ensured its integrity as a fundamental element in the survival of human society in this arid land.

## 6. GOVERNMENT ROLE IN PROTECTING *FALAJ* SYSTEMS

When we realise that the total length of *aflāj* in the world is comparable to the distance from the Earth to the Moon (MRMEWR 2005), we understand that *aflāj* are living monuments of the immense effort of our predecessors: The long history of *falaj* use in Oman indicates that community participation in construction, management and maintenance of these systems has been continuous for many, possibly thousands of, years. There is no doubt that *falaj* systems demonstrate, throughout their long history, the modern-day concept of Integrated Water Resources Management (IWRM) (Al Busaidi 2006).

Nowadays, *falaj* systems are affected by many factors which have lead to 25% of them drying up (Al Bakri 2005). These factors include:

- Absence of long-term water allocation or management plans.
- Interference from pumped wells and the impact of other water users in the vicinity of the mother well (source of water) of a *falaj*.
- Expansion of the irrigated areas (increase of water consumption with respect to the annual recharge water available).

Since 1989 with the establishment of the Ministry of Water Resources, currently the MRMEWR, and its *Aflāj* Department, the government has been closely involved in reducing the effect of such obstacles to the survival of *aflāj*, concentrating on the following main issues:

- Establishing protection zones around the “mother well”. the source of water to the *falaj*.
- Assessing *aflāj* affected by drought and over-pumping and providing support wells. Up to the end of 2005 the MRMEWR had constructed some 923 support wells, with a peak in the years 1991 to 1994 which coincided with a prolonged dry period (Al Shaqsi 1996).

- Providing support, both financial and technical, for repair and maintenance. Up to the end of 2006 the MRMEWR had supported 669 projects for *falaj* maintenance with a total cost of 5.85 million R.O (14.9 US\$).
- Carrying out monitoring of both flow and water quality of 526 representative *aflāj*.

The Ministry has integrated the traditional methods, developed by the *falaj* communities, for the repair and maintenance of *falaj* channels and structures with modern methods and engineering design. The use of mechanical excavation and reinforced concrete means that the works are safer, faster to carry out and last longer. However, with modern methods the cost per unit linear length (m) for underground and open channels is US\$ 83-165 and US\$ 33-99 respectively (Al Hatmi and Al Amri 2000).

In 2000, the MRMEWR adopted a policy to improve, conserve and protect *aflāj* in order to stabilize the rural population and retain the national heritage through the Water Resources Master Plan vision 2000 – 2020. In outline, the strategic goals are:

- To continue to support *falaj* communities with respect to: maintenance of systems to reduce water losses; and security and protection of water supply flow and quality.
- To increase *falaj* income through optimal usage of water.
- To increase community self-reliance and development.

In order to achieve the above goals, many works and actions through several progressive phases have been actioned:

- a. Establish water allocation for each *falaj* in a catchment management plan that can achieve and sustain the water balance.
- b. Increase farm productivity through conservation of water and develop irrigation systems.
- c. Implement the principle of minimum water quota for each *falaj* which should be sufficient to cover the basic needs of the community served by the *falaj*.
- d. Implement the concept of water rights to match demand and this will be based on the sustainable water balance.

In the near future, an agreement with water users is required to improve the management of *aflāj* water. Regulations need to be applied equally to all villages in order to achieve the strategic goals, while control should remain in the hands of the *falaj* communities as they are experienced in overcoming both technical and social problems. The *falaj* committees still play a significant role in water management and *aflāj* maintenance decisions. They also play a significant role in preventing people from sinking new wells that might impact on *falaj* water supply. Therefore it is appropriate that the *falaj* committee should form the basis of new local water management organizations, responsible for both *aflāj* and wells within their locality or sub-catchment.



---

**REFERENCES**

1. Al Bakri, Abdullah bin Nasser, 2005 Water Strategies in Oman. *The 7<sup>th</sup> Gulf Water Conference*: 1-20. (in Arabic).
2. Al Busaidi, Khalid bin Mahfoudh, 2006 "The Omani Aflaj: An Ancient Indigenous IWRM System". *World Water Forum*, 17-22 March 2006, Mexico.
3. English, Paul Ward, 1997 "Qanats and Life Worlds in Iranian Plateau Villages", in *Middle Eastern Natural Environments*, Bulletin No. 3, Yale University, USA.
4. Al Ghafri, Abdullah et al., 2003 "Daudi Aflaj: The Qanat of Oman", *Proceedings of the Third Symposium on Xinjiang Uyghur, China*, 11 November, 2003, Chiba, Japan.
5. Al Hatmi, H.K. and Al Amri, S.S., 2000 "Aflaj Maintenance in the Sultanate of Oman", *Proceedings of the First International Symposium on Qanat*, Yazd, Iran. May 8-11, Volume IV.
6. Lane, E.E., 1968 *An Arabic-English Lexicon*, (8 volumes), Beirut: Librarie du Liban.
7. Ministry of Regional Municipalities Environment and Water Resources, 2000 *National Water Resources Master Plan*, annex F- Aflaj, July 2000.
8. Ministry of Regional Municipalities Environment and Water Resources, 2005 (Internal Report, Nov. 2005) *Water Resources in Oman*.
9. Ministry of Regional Municipalities Environment and Water Resources, 2006 (Internal Report 2006) *The Aflaj Irrigation System of Oman*, Sultanate of Oman.
10. Ministry of Water Resources, 1997 *National Aflaj Inventory Project (NAIP)*, Sultanate of Oman.
11. Al Shaqsi, S.R. 1996 *Aflaj Management in the Sultanate of Oman. Case study of Falaj al-Hamra (dawoodi) and Falaj al-Kasfah (aini)*, MSc Thesis, University of Wales, U.K.
12. Al-Tikriti, W.Y. 2002 "The south-east Arabian origin of the falaj system", *Proceedings of the Seminar for Arabian Studies* 32: 117-138.
13. Wilkinson, J.C. 1977 *Water and Tribal Settlement in South-East Arabia: A Study of the Aflāj of Oman*, Clarendon Press, Oxford.
14. Wilkinson, J.C. 1983 "The Origins of the Aflāj of Oman", *Journal of Oman Studies*, 6 (1): 177-194.